


Innovative ConxOS operating system

- Automatic screen layout
The interface layout is adaptive to different screens.



COMEN



Practical performances

- Rich automatic scoring system
Four types of scoring methods, NST/Fischer/Improved Fischer/Krebs.
- Timing monitoring function
The first TEMPOMTM timing monitoring function, avoid over time monitoring.
- Manual / automatic recording of fetal movements.
- FHR signal strength indicator, twins cross channel verification
- Multi- interface display: Fetal interface, multi- parameters interface, maternal/fetal interface, big font interface, trend table/graph interface etc. for various clinical requirements.
- Support obstetric central monitoring system, support wired/wireless networking.

C22

Specialized Fetal & Maternal Monitor

CE₁₆₃₉



Shenzhen Comen Medical Instruments Co., Ltd.
Add: Floor 10, Floor 11 and Section C of Floor 12 of Building 1A & Floor 1 to Floor 5
of Building 2, FIYTA Timepiece Building, Nanhuan Avenue, Matian Sub-district,
Guangming District, Shenzhen, Guangdong, 518106, P.R. China
Tel: +86-755-2643 1236 Fax: +86-755-2643 1232 Website: en.comen.com E-mail: info@szcomen.com
P/N: EN-C22-4P-20200302-V1.4

C22

The design, a perfect integration of attractive appearance, reliability performance and convenient operation


The whole machine looks compact and smooth with “U-” shape structure.

Folding- up touch screen

12.1” back- light LED touch screen, energy conservation and environmental protection.

Folding- up screen design with maximum 90° folding angle facilitate easy observation and operation.

Strong damping shaft and magnet on the structure makes the screen easier to open and close.



High efficiency printing system

Built- in 152mm wide line thermal printer

Comen patented Cali- Rec® intelligent print correction function makes the machine be able to adjust paper feeding direction, so that to solve paper jam and deviation defects of the traditional printers.

Internal thermal printer as well as external aser printer via USB connection; report of overall score printed in A4 paper, cost saving, long- time storage of cases; electronic version of pictures printed auto- saved in USB disk for checking at any time.



Multiple printing modes selectable, such as real time printing, freeze printing, printing review, etc.
Support waveform review of the physiological parameters of patients.
Time selectable for printing and scoring.
Support printing waveforms, maternal vital signs, ECG waveforms, NIBP list, trend table



Automatic identification probe

Automatic recognition of different types of probe. User friendly design, improve clinical efficiency.



Integrated probes bracket

The probes brackets are equipped on the right side of the machine, which is used for the management of the accessories.



Waterproof probe

Support water delivery, FHR signal strength observable from working interface.



Alarm system

Unique and eye- catching dual alarm lights can be seen from every angle, makes physiological alarm and technology alarm more clear and intuitive.

Intelligent alarm technique, C22 Fetal monitor is able to recognize different levers of alarm according to change of patients physiological parameters with three kinds of audible and visual alarm prompts, help medical workers accurately make clinical judgments.



Kii Access Systems



FIOS FIRST ENTRY
ACCESS SYSTEM



BALLOON BLUNT-
TIP ACCESS
SYSTEM



ADVANCED
FIXATION SLEEVE



OPTICAL ACCESS
SYSTEM

Alexis Protectors and Systems



WOUND
PROTECTOR-
RETRACTOR



C-SECTION
PROTECTOR-
RETRACTOR



LAPAROSCOPIC
SYSTEM



ORTHOPAEDIC
PROTECTOR

Epix Instrumentation



UNIVERSAL CLIP
APPLIER



ELECTROSURGICAL
PROBES



GRASPERS




SCISSORS



DISSECTORS

GelPOINT Platforms



ADVANCED
ACCESS
PLATFORM



MINI
ADVANCED
ACCESS
PLATFORM



PATH
TRANSANAL
ACCESS
PLATFORM



V-PATH
TRANSVAGINAL
ACCESS
PLATFORM